

# Long-Lasting EP Grease Lithium-Calcium EP 2

Replaces date: 24/05/2019

Revision date: 06/03/2023

Version: 2.0.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Long-Lasting EP Grease Lithium-Calcium EP 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Kramp UK Ltd

Address: Unit 5

Zip code: SG18 8YL
City: Biggleswade

Country: UNITED KINGDOM
E-mail: sales.uk@kramp.com
Phone: +44(0)1767 602 600

### 1.4. Emergency Telephone Number

The emergency telephone is open 24 hours. Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**CLP-classification:** The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

**Most serious harmful effects:** May cause slight irritation to the skin and eyes.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

#### 2.3. Other hazards

Assessment to determine PBT and vPvB has not been made. Endocrine disrupting properties: None known.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
O,O-di-C1-14-alkyl	68649-42-3 272-028-3 01-2119521201-61	< 1.3 %		Skin Irrit. 2;H315 Eye Irrit. 2;H319 Aquatic Chronic 2;H411 EUH031

Please see section 16 for the full text of H- / EUH-phrases.

## **SECTION 4: First aid measures**



# Long-Lasting EP Grease Lithium-Calcium EP 2

Replaces date: 24/05/2019

Revision date: 06/03/2023

Version: 2.0.0

### 4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

**Burns:** Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek

medical advice/transport to hospital. If possible, continue flushing until medical attention is

obtained.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

#### 5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Stop leak if this can be done without risk. Wear

safety goggles if there is a risk of eye splash.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

#### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

#### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.



# Long-Lasting EP Grease Lithium-Calcium EP 2

Replaces date: 24/05/2019 Revision date: 06/03/2023

Version: 2.0.0

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Store in a dry, cool, well-ventilated area. Do not store with the following: Strong oxidisers.

### 7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

EH40/2005 Workplace exposure limits. Last amended January 2020. Legal basis:

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

hand protection:

Personal protective equipment, Wear gloves. Type of material and thickness: Nitrile rubber. 0.38 mm.

Penetration time: > 6 h. Gloves must conform to EN 374.

Personal protective equipment, Not required.

respiratory protection:

**Environmental exposure** 

Ensure compliance with local regulations for emissions.

controls:

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Parameter	Value/unit			
State	Paste			
Colour	Blue			
Odour	No data			
Solubility	No data			



# Long-Lasting EP Grease Lithium-Calcium EP 2

Replaces date: 24/05/2019

Revision date: 06/03/2023

Version: 2.0.0

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	> 150 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	1000 kg/m3 @ 25 °C	
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

### 9.2. Other information

Parameter Value/unit	Remarks
----------------------	---------

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Reacts with the following: Strong oxidisers.

## 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

## 10.3. Possibility of hazardous reactions

None known.

## 10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight).

## 10.5. Incompatible materials

Strong oxidisers.

### 10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



# Long-Lasting EP Grease Lithium-Calcium EP 2

Replaces date: 24/05/2019 Revision date: 06/03/2023

Version: 2.0.0

#### Acute toxicity - oral

## Long-Lasting EP Grease Lithium-Calcium EP 2

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	LD50		6951 mg/kg		(calculated)	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. Ingestion of large quantities may cause discomfort.

#### Acute toxicity - dermal

## Long-Lasting EP Grease Lithium-Calcium EP 2

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	LD50		6753 mg/kg		(calculated)	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

**Acute toxicity - inhalation:** The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: The product does not have to be classified. Test data are not available. May cause slight

irritation.

Serious eye damage/eye

irritation:

The product does not have to be classified. Test data are not available. May cause eye

irritation

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

**Single STOT exposure:** The product does not have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

Endocrine disrupting

properties:

None known.

Other toxicological effects: The product does not have to be classified. Test data are not available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

## 12.2. Persistence and degradability

Non-biodegradable.

#### 12.3. Bioaccumulative potential

No bioaccumulation expected.

#### 12.4. Mobility in soil



# Long-Lasting EP Grease Lithium-Calcium EP 2

Replaces date: 24/05/2019 Revision date: 06/03/2023

Version: 2.0.0

Not expected to be mobile in soil.

#### 12.5. Results of PBT and vPvB assessment

No assessment has been made.

## 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: EWC code: Depends on line of business and use, for instance

13 08 99\* wastes not otherwise specified

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02.

### **SECTION 14: Transport information**

14.1. UN number or ID number: Not applicable.

14.4. Packing group:

Not applicable.

14.2. UN proper shipping

Not applicable.

14.5. Environmental hazards:

Not applicable.

name:

14.3. Transport hazard

Not applicable.

class(es):

### 14.6. Special precautions for user

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** None.

#### 15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

## **SECTION 16: Other information**

### Version history and indication of changes

Version	Revision date	Responsible	Changes				
2.0.0	06/03/2023	Bureau Veritas HSE / SJU	2,11,12,16				



# Long-Lasting EP Grease Lithium-Calcium EP 2

Replaces date: 24/05/2019 Revision date: 06/03/2023

Version: 2.0.0

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

STOT: Specific Target Organ Toxicity

vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components. Test data.

List of relevant H-statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

List of relevant EUH-statements

EUH031 Contact with acids liberates toxic gas.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

Country: GB